

101690

October-24-13 12:55:20 PM

N900040100

Setup Start *NS1*

Stop ***NS2***

3

3

Reference:

Run Start *NR1*

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

[illegible]

Work Order ID 101690

101690

Page 2

October-24-13 12:55:20 PM

Item ID: D3575-2 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Cargo Floor Protector
 Start Date: 5/13/13 Start Qty: 3.00 *3* Cust Item ID:
 Required Date: 5/24/13 Req'd Qty: 3.00 *3* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 DAS 27 9-89 13-10-25				3			
150 *150* Packaging Packaging	Identify as per dwg & Stock Location: <i>Ship</i> Memo	0.00 0.00				3x	DAS 28 9-89	13-10-25	
160 *160* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00							<i>A/ 13-10-28</i> <i>13-10-25</i>

Picklist Print

October-24-13 12:55:20 PM

Page 1

Work Order ID: 101690

Parent Item: D3575-2

Start Date: 5/13/13

Required Date: 5/24/13

Parent Item Name: Cargo Floor Protector

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP Rev :A New Issue 07-01-22 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04 GE PLASTICS LEXAN SHEET		Purchased	No			100	sf	2,165.7520	8	34		13.10.25	

Location

Loc Qty

Loc Code

MAT018

2165.752

124866

286.792

m126425

1878.96

126425 → 34.00

DART AEROSPACE LTD		Work Order:	101690
Description: Cabin Floor Protector		Part Number:	D3575-2
Inspection Dwg: D3575 Rev: A		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.00"	-		V	Jkm-01
1.00	+/-0.030	1.00"	-		V	
3.50	+/-0.030	3.50"	-		V	
16.00	+/-0.030	16.00"	-		T	Jkm-06
23.13	+/-0.030	23.13"	-		T	
26.88	+/-0.030	26.88"	-		T	
27.69	+/-0.030	27.69"	-		T	
4.25	+/-0.030	4.25"	-		T	
9.63	+/-0.030	9.63"	-		T	
16.13	+/-0.030	16.13"	-		T	
28.06	+/-0.030	28.06"	-		T	
32.15	+/-0.030	32.15"	-		T	
2.00	+/-0.030	2.00"	-		V	
3.50	+/-0.030	3.50"	-		V	
14.25	+/-0.030	14.25"	-		T	
25.13	+/-0.030	25.13"	-		T	
29.38	+/-0.030	29.38"	-		T	
30.13	+/-0.030	30.13"	-		T	
1.25	+/-0.030	1.25"	-		V	
3.38	+/-0.030	3.38"	-		V	
5.00	+/-0.030	5.00"	-		T	
6.50	+/-0.030	6.50"	-		T	
26.13	+/-0.030	26.13"	-		T	
31.50	+/-0.030	31.50"	DAS-		T	


Measured by:	Ae	Audited by:	27 9-89	Prototype Approval:	N/A
Date:	13/10/25	Date:	13/10/25	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	08.02.29	New Issue	KJ/DD	



DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>#</i>	DRAWING NO. D3575	REV. A SHEET 1 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8
A	07.06.08	NEW ISSUE	

RELEASED
07.06.08



D3575-1 CABIN FLOOR PROTECTOR (SHOWN)
D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966

Copyright © 2007 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

UNC
13-05-14
NO. 101690 M/L



DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 2 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

RELEASED
07.06.27



D3575-3 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

069101



DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 3 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8



D3575-4 CABIN FLOOR PROTECTOR



NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

101690



NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

101690

5/13-13

OR COPIED